



**LT PR 36/W**

# 1W Pattern Projector, White



part number		LTPR36/W
<b>Light Color, wavelength peak</b>		white
<b>DEVICE POWER RATINGS</b>		
Minimum DC Voltage	(volt)	12
Maximum DC Voltage	(volt)	24
Power Consumption	(watt)	< 2
<b>LED DIRECT DRIVE RATINGS</b>		
Forward DC Voltage	(volt)	3,5
Forward Current	(mA)	300
Pulse Ratings @0,1 duty/1kHz	(mA)	< 1800

Mechanical drawings:  
see next page >>



Rev No.	Description	Date	Name
A	Nuovo pezzo	05/12/07	A.Vismara



Material	N.A.			Mass	163.8 g	Scale	2:1
Surface treatment	N.A.			Project-Prod.Item/Instrument		LTSPPR	
Geometrical tolerance (ISO 2768-2)			Class	K	Description		
Linear tolerance (ISO 2768-2)			Class	m	Undimensioned bevels	1x45°	LAYOUT WITH C-MOUNT
0.5 +3	>3- 6	>6- 30	>30- 120	>120 +400	>400- 1000	>1000 +2000	
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
www.opto-engineering.com			Date	Name	Drawing No.		
			Designed	17/03/03	A.Vismara	Sheet	
			Draw	05/12/07	A.Vismara	03532-0-A	
			Checked	X	C. Sedazzari	1/1	
OPTO ENGINEERING S.r.l. - 46100 Mantova Italy - Via Cremona, 29/2 - Tel. +39 0376 229585 - e-mai: info@opto-engineering.it - http://www.opto-engineering.com							